



**SURFACE MOUNT BENCH
INSTRUCTIONS
BM1165**


REV# 1




SURFACE MOUNT BENCH INSTRUCTIONS BM1165




2
STEEL BENCH END



2
PLASTIC BOARD



8
3-1/2" X 5/16" CARRIAGE BOLT



8
5/16" FLANGE NUT

REQUIRED TOOLS (NOT INCLUDED)

- 1 - 1/2" WRENCH
- 1 - 1/2" SOCKET

NOTE: IT IS IMPORTANT TO KEEP ALL BOLTS FINGER TIGHT DURING ASSEMBLY UNTIL ENTIRE TABLE IS ASSEMBLED


**HARDWARE &
TOOLS REQUIRED
FOR ASSEMBLY**

2/3

SURFACE MOUNT BENCH INSTRUCTIONS BM1165


STEP 1

- Set the two steel bench ends 22 inches apart
- Lay 2 boards (B) over the steel bench ends (A)
- Insert four 3-1/2" x 5/16" carriage bolts (C) into the holes in the boards (B)
- Hand tighten with two 5/16" flange nuts (D)
- Repeat on opposite board






STEP 2

- Square all parts and tighten all hardware
- Install on a flat level surface with appropriate hardware



SURFACE MOUNT BENCH SPECIFICATIONS BM1165



ALL DIMENSIONS ARE SHOWN IN INCHES

HARDWARE: ZINC PLATED
MATERIAL: PLASTIC, POWDER COATED STEEL

MOUNTING VIEW

