



INSTRUCTIONS PW1405-PW1410

REV# 1




INGROUND MOUNT




SURFACE MOUNT


INSTRUCTIONS PW1405-PW1410




1
Bag Dispenser



2
#10 x 2.5" Screw




1
Inground Post




1
Surface Mount Post


SURFACE MOUNT HARDWARE



2
1/4" x 1.5" Lag Screw



2
1/4" Flat Washer



1
Surface Mount Base

REQUIRED TOOLS (NOT INCLUDED)

- 1 - 7/16" WRENCH
- 1 - #2 SQUARE BIT

**HARDWARE &
TOOLS REQUIRED
FOR ASSEMBLY**


2/3

INSTRUCTIONS

PW1405-PW1410


Inground Mount

- Dig a hole 12 inches in diameter to a depth of 18 inches
- Insert the inground mount (B) post into the hole
- Level the post with the ground
- Pour concrete into the hole and allow to set



Surface Mount

- Insert the post (C) into the surface mount base (G)
- Secure the post to the base with 2 1/4" x 1.5" lag screws (E) and washers (F) provided
- Place the post upright in desired location
- Square the post assembly to the ground
- Attach the surface mount base to the ground using appropriate hardware (not included)



**MOUNT
POST**



3/4

INSTRUCTIONS

PW1405-PW1410

MOUNT THE DISPENSER

- Slide the pet bags dispenser (A) onto the post
- Install the #10 x 2.5" screw (D) to secure the dispenser to the post
(Only 1 is needed but 2 are supplied in case of stripping)



NOTE: LID REMOVED TO SHOW DETAIL

SPECIFICATIONS PW1405-PW1410

NOTE: ALL MATERIAL IS RECYCLED PLASTIC LUMBER UNLESS NOTED
ALL DIMENSIONS SHOWN IN INCHES

